
APPROVED BY __

CONDITIONS OF APPROVAL, IF ANY:

SUBMIT IN T

Form approved. Budget Bureau No. 42-R1425.

(MBy 1903)			ED STATE		, -	reverse s	12.1	illing Bond	1 M-046	557
	DEPA	RTMENT	OF THE	INTER	IOR	_	- [5. LEASE DESIGN.	TION AND	RERIAL NO.
		GEOLOG	SICAL SUR	VEY			· ·	บ-42223		:
APPLICAT	ION FOR F	PERMIT T	O DRILL,	DEEPE	N, OR F	PLUG E	BACK_	6. if indian, ali	OTTEE OR T	RIBE NAME
1a. TYPE OF WORK			DEFDELL		D)	LIC DA	cv 🖂 🚶	7. UNIT AGREEM	ENT NAME	
b. Type of Well	DRILL KX	- # · ·	DEEPEN		, PL	UG BA	CK L	-NA		:}
oir 🗌	GAS T		•		NGLE	MULTII ZONE	" [S. FARM OR LEAS	E NAME	
2. NAME OF OPERATO		OTHER		20		2011		Ambra In	Land Fu	ıels
Ambra Oil &	Cas Compai	างร				* * * * * * * * * * * * * * * * * * *		9. WELL NO.	77.59	(i
3. ADDRESS OF OPERA		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·					Cisco SS		1
47 W. 200 S 4. LOCATION OF WEL	., Suite 5	10 Salt	Lake City	th any S	84101	ents.*)		10. FIELD AND P	10 10 1	+ #
At surface		- 4					}	11. SEC., T., R., M	., OR BLK.	
	2440' FSL	1850. LEI	, NWA SEA	3			ļ	AND SURVEY	OR AREA	. 1
At proposed prod	. zone		1.				ļ	Sec. 23,	T20S F	₹23E
14. DISTANCE IN MI	LES AND DIRECTIO	N FROM NEARI	ST TOWN OR PO	ST OFFICE	.*			12. COUNTY OR P.	ARISH 13.	STATE
8 miles nor	theast of (Cisco. Ut	ah					Grand	11	Utah
15. DISTANCE FROM I	PROPUSED*	·		16. NO	OF ACRES IN	LEASE		ACRES ASSIGNED IS WELL		
PROPERTY OR LE		fany) 18	320 '	18	340	1.0	40			
18. DISTANCE FROM	PROPOSED LOCATION OF THE PROPOSED LOCATION	מיזיים זמ		19. PR	POSED DEPTH		20. ROTAR	Y OR CABLE TOOLS		
OR APPLIED FOR, O	N THIS LEASE, FT.	7	700 '	19	900.		Ro	tary	- 1	1
21. ELEVATIONS (Show	whether DF, RT	, GR, etc.)				•		22. APPROX. DA	re work w	FLL START
4691'	GR	` <u>`</u>						April	18, 198	33
23.		PF	ROPOSED CAS	ING AND	CEMENTIN	G PROGR	AM			1
SIZE OF HOLE	SIZE OF	CASING	WEIGHT PER	FOOT	SETTING	DEPTH		QUANTITY OF	CEMENT	į.
11"	8-5/8	3"	28		160'		35 sa	cks (cemen	t to si	rface)
6-3/4"	4½"		10.5		1900		135 sa	cks		<i>i</i>
•										ili T
	1	3					•		· (1)	
										i.
	Well	ha dasi 13		+ha	Marri aa	n Cnl+	Mach Ec	rmation.	717	
	shows ence					Sait	wasii FO	Imacion.	711	e Sa
	Shows enc	Juillered	WIII DE	-esceu	•					
	Blowout ed	guipment	to be use	ed: 8'	" 900 se	ries do	ouble qa	te shaffer		1
	hydraulic		1						. F	
•		į.				:				į
		\$					•	STATE IN OF INING	ja vi	
		1						STATE		1
		\$ 6				_ 0	y THE	NOF	\mathcal{L}	_
		4			0	VED S	-iVISIC	MING		
					APPHU	TAH!	MON	3	A	· · · · · · · · · · · · · · · · · · ·
				_	OF	GAS:	1-	1/1/2		- naoduettus
IN ABOVE SPACE DESC zone. If Droposel is	CRIBE PROPOSED P. s to drill or deep	ROGRAM : If∫pi en directionall	oposal is to de y, give pertine	epen or pl nt data o	ng banday n substitace	ocations	nd mean red	ard true vertical	depths. C	v productive Give blowout
preventer program,	f any.				DATE	ALM		ctive zone de pi atterde vertical		<u> </u>
24. . 1	1 1	1			24.1	14				1
IN ABOVE SPACE DESC zone. If proposal is preventer program, i 24.	ley let	lungel	<u></u>	ITLE EX	oloratio	n ∜ ice-	-Preside	nt DATE Ap	ril 1,	1983
	Federal or State									<u> </u>
									*	
PERMIT NO.	43-019-	21033			APPROVAL DAT	E				



SCALE: 1" . 1000

CISCO SS #23-14

Located North 2440 feet from the South boundary and West 1820 feet from the East boundary of Section 23, T205, R23E, SLB&M.

RP NORTH 200' = 4691.0 Elev. 4691

RP SOUTH 200' = 4694.6

RP EAST 200' = 4686.9 Grand County, Utah

RP WEST 200' = 4696.5



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF





UDELL S. WILLIAMS

751 Rood Avenue GRAND JUNCTION, COLORADO 81501

PLAT OF PROPOSED LOCATION

CISCO SS #23-14 NW1SE1 SECTION 23 T20S, R23E, SLB&M

DRAWN BY: USW DATE: 3/16/83
DRAWN BY: USW DATE: 3/17/83

GEOLOGICAL SURVEY

SUBMIT IN THE ICATE*

Form approved.

U-42223

	(Other instructions on	Dauget Dureau No. 42-11429.
UNITED STATES		orilling Bond M-046557
DEPARTMENT OF THE INTERIOR		5. LEASE DESIGNATION AND SERIAL NO.

						1 616	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
APPLICATIO	N FOR PERMIT	TO DRILL, L)FFLI	:N, OR PL	.UG B	ACK .	NA	. T. Ş.
1a. TYPE OF WORK		DEEDEN [٦	DI LI	C DA	רע 🖂	7. UNIT AGREEMENT N	AME
•	ILL 🔂	DEEPEN [J	PLU	G BA	CK LI	NA .	ર્સ ઇ
	AS	•		NGLE	MULTIP	ມ ⊏	S. FARM OR LEASE NAM	(E)
WELL L.J W 2. NAME OF OPERATOR	VELL XX OTHER		ZC	NE L	ZONE		Ambra Inland	Fuels
]	9. WELL NO.	<u></u>
Ambra Oil & Ga	as Company						Cisco SS 23	14
47 W 200 C	Cuito E10 Colt	· Taka City	TIM	0/101			10. FIELD AND POOL, O	R WILDCAT
4 / W. 200 S., 4. LOCATION OF WELL (R	Suite 510 Salt	l in accordance with	h any S	tate requirement	ts.*)		Greater Cisc	o Area
At surface	10' FSL 1820' FI						11. SEC., T., R., M., OR P	LK.
		EL, NW4 SE4					AND SURVEY OR AR	EA
At proposed prod. zon	1e					İ	Sec. 23, T20	S R23E
4. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	OFFIC				12. COUNTY OR PARISH	13. STATE
9 miles perth	and of Cisso I	7+ = h				1	Grand	Utah
5. DISTANCE FROM PROP		Lan	16. NO	. OF ACRES IN L	EASE		F ACRES ASSIGNED	1
LOCATION TO NEARES PROPERTY OR LEASE !		1820'	7 :	B 4 0		40	IIS WELL	
(Also to nearest drl	g. unit line, if any)	.020		OPOSED DEPTH			Y OR CABLE TOOLS	
 DISTANCE FROM PROI TO NEAREST WELL, I OR APPLIED FOR, ON TH 	RILLING, COMPLETED,	700'		900'			tary	
OR APPLIED FOR, ON TH	-	700 [1 10	22. APPROX. DATE WO	RK WILL STARTS
21. ELEVATIONS (Show wh	emer Dr. RI. GR. ecc.				•			•
4691 'GI							<u> April 18,</u>	1983
.o.	:	PROPOSED CASIN	G ANI	CEMENTING	PROGRA	M	· · · · · · · · · · · · · · · · · · ·	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	OT	SETTING DE	PTH		QUANTITY OF CEMEN	T
11"	8-5/8"	28		160'		35 sa	cks (cement to	surface)
6-3/4"	41"	10.5		1900'		135 sa	cks	
sl Bl hy	ell will be drinows encountered lowout equipment ydraulic type LV	I will be te to be used IS	sted: 8	• " 900 seri	es do	uble ga	SHET LAKE CITY, UTAH	MINERALS MANAGEMENT SERVICE OIL & GAS OPERATIONS RECEIVED
signen Wash	drill or deepen direction	ally, give pertinent	data o	n subsurface loc	ations ar	nd measured	and true vertical depth	s. Give blowout
A THE TAX A								
PERMIT NO.	1 / 01/		FOR	APPROVAL DATE _ E. W. GUYNN ISTRICT OIL & (CAS SI 15	PERVISOR	MAY :	1983
APPROVED BY	AL, IF ANY:	TIT!	LE D	STHICT OIL &	uno our		DATE	

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

PERSON SUBSECT TO NTL 4-A DATED 1/1/80

Ambra Oil and Gas Company Well No. 23-14 Section 23, T.20S., R.23E Grand County, Utah Lease No. U-42223

Supplemental Stipulations:

1) Adequate and sufficient electric/radioactive logs will be run to locate and indentify anticipated coal beds in the Dakota. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the coal resource. Surface casing program may require adjustment for protection of fresh water aquifers.

- Your Application for Permit to Drill also included a submittal for production facilities. These production facilities are approved for the lessee and his designated operator under Section 1 of the Oil and Gas Lease with the following conditions:
- (1) The oil and gas measurement facilities must be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy are to be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. Please provide this office with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports are to be submitted to the Salt Lake City District Oil and Gas Supervisor. Royalty payments will be made on all production volume as determined by the meter measurements or the tank measurements. All measurement facilities must conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.
- (2) Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs must be housed and/or fenced.
 - (3) All disturbed areas not required for operations will be rehabilitated.
- (4) All produced liquids must be contained including the dehydrator vent/condensate line effluent. All production pits must be fenced.
- (5) The well activity, the well status and the date the well is placed on production must be reported on Lessee's Monthly Report of Operations, Form 9-329.
- (6) All off-lease storage, off-lease measurement, or commingling on lease or off-lease must have written approval.
- (7) All product lines entering and leaving hydrocarbon storage tanks must be locked/sealed.
- (8) You are reminded of the requirements for handling, storing, or disposing of water produced from oil and gas wells under NTL-2B.
- (9) All materials, trash, junk, debris, etc. not required for production must be removed from the well site and production facility site at the completion of these operations.
- (10) A copy of the Gas Sales Contract will be provided to this office and the Royalty Accounting Department as directed.
- (11) Construction and maintenance for surface use approved under this plan should be in accordance with the surface use standards as set forth in the BLM/GS Oil and Gas Brochure entitled, "Surface Operating Standards for Oil and Gas Exploration and Development." This includes, but is not limited to, such items as road construction and maintenance, handling of top soil and rehabilitation.
- (12) "Sundry Notice and Reports on Wells" (form 9-331) will be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained verbally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alternations of facilities, including roads, gathering lines, batteries, measurement facilities, etc., will require the filing of a suitable plan and prior approval by the survey.

U.S. GEOLOGICAL SURVEY
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 23-14 NTL-6 Supplementary Information for APD, 9-331-C

Application for Ambra Oil & Gas Company, a Utah corporation, to drill in the NW2 SE2 of Section 23, T2OS R23E, Grand County, Utah is set forth on Form 9-331-C. The purpose of this letter is to present the additional information required for the NTL-6 regulation.

- 1. Geologic Name of Surface Formation: Cretaceous Mancos Shale
- 2. Geological Formation Tops:

&

3.	Cretaceous	Mancos Shale	Surface		
		Dakota	1325'		
	•	Cedar Mountain	1425'		
	Jurrasic	Morrison (Brushy Basin)	1496'		
		Morrison (Salt Wash)	1794'		
	•	Total Depth	1900'		

- 4. Casing Program: See Form 9-331-C.
- 5. Pressure Control Equipment: BOP and manifold to be tested 1000 psi prior to drilling out shoe joint. Pipe rams will be operational and tested daily. Blind rams will be operational and tested on trips. BOP and manifold will be visually inspected daily. All tests will be recorded on daily tour sheets. See BOP schematic.
- 6. Drilling and Circulating Medium: Operator plans to drill with air and air mist as far as possible. Water base drilling fluid will be used in the event formation water is encountered, to control or kill oil or gas flows, and when running long string (4½" 10.5 lb casing). It will consist of invert polymer type bio-degradable mud at 8.2 lb per gallon. Weight and mud to 10 lb per gallon will be provided if required. Potassium chloride (KCl) D.G. chemical will be added as required.
- 7. Auxiliary Equipment: (1) Kelly Cock Demco; (2) Floats at the bitsub and string; (3) No monitoring equipment on mud system; and (4) Sub on floor with a full-opening valve. The fill, kill, and choke lines will be attached to the wellhead below the BOP. The following auxiliary equipment will also be used:
 - a. 6000# shut-off valve on stand pipe.
 - b. One float at bit and two string floats.
 - c. Sub 3½" IF to 2" valve for controlling blowouts when making round trips.

U.S.G.S. Page 2 April 1, 1983

- 8. Testing, Logging, & Coring: Schlumberger or Gearhart. No DST's programmed. Electric logs will consist of dual induction laterlog (DIL), compensated neutron and formation density (CNFD), caliber log (CL), and sonic BHC. If casing is set, a cement bond log (CBL) and gamma ray log (GRL) will be run. Drilling samples will be taken every 10 feet starting 100 feet above the Dakota formation. Microscope analysis will be done by a geologist.
- 9. The maximum bottom hole pressure expected is 1500 psi. Flexibility provisions are the BOP and high-pressure fittings and couplings. No hydrogen sulfide problems are expected.
- 10. The approximate starting date is April 18, 1983, and drilling should take from five to ten days.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil & Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

april 1,1983

Wesley Fellingelf WESLEY PETTINGILL

Exploration Vice-President

April 1, 1983

U.S. GEOLOGICAL SURVEY 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 23-14 Multipoint Requirements

1. Existing Roads

- a. Proposed well site is staked.
- b. Route and distance from nearest town. Well site is located approximately 8 miles northeast of Cisco, Utah. Exit at the east Cisco Bookcliff exit on I-70. Go north about 150' and turn left at the first intersection of the county road. Proceed northwest on the Cisco Springs County Road approximately 3 miles. Turn left (south) onto the Clayton Energy Jane, Mary, and Alice wells access road. Proceed approximately 4500 feet to the first intersection and turn right (northwest). Go approximately 2500 feet along the Inland Fuels 23-1A access road until the ripped access road to the Inland Fuels 23-5 well is encountered on the left. The distance travelled down the ripped road is approximately 750 feet until the staked 23-14 location is spotted on the right. The access road to the 23-14 well pad is approximately 100 feet. The ripped and new access roads are on a flat surface and will be lightly bladed with 4" of topsoil and vegetation windrowed on the uphill (west) side of the road.
 - c. Access road is dotted in red. The existing roads are solid in blue.
 - d. Does not apply.
- e. If a development well, list all the existing roads within a one-mile radius of well site. This radius includes the Cisco Springs County Road. Also included is the TXO 14-1, TXO 23-1, Inland Fuels 23-1A, and Willard Pease #4 combined access road.
 - f. Plans for improvement and/or maintenance of existing roads. In the event of production, the operator will work to maintain a graded and improved road year-round. This will require cooperation with the other operators in the area to maintain this road.

2. Planned Access Road

- 1. Width: 16' travel surface, 20' disturbed width. Vegetation and 4" of topsoil will be windrowed on the uphill (west) side of the access road.
 - 2. Maximum grades: ½ to 1 degree. No waterbars are needed.

- 3. Turn-out: no turn-outs are needed.
- 4. Drainage design: small borrow pit on one side for drainage. Should production be established, the road will be upgraded and will be ditched and crowned.
- 5. Location of culverts and brief description of any major cuts and fills. No culverts are needed in this area. No major cuts or fills are required.
- 6. Surfacing material: none needed. Land will be disturbed very little. No foreign material is needed.
 - 7. Necessary gates, cattleguards, or fence cuts: none needed in this area.
- 8. New or constructed roads. Operator will make use of existing roads in the area. The new access road will be constructed approximately 100 feet in length, and the proposed route is flagged in red. The width will be 16' travel surface, 20' disturbed width, scraped only on the surface. Surface disturbance will be kept to a minimum. The surface is generally flat, requiring no significant cuts.

3. Location of Existing Wells

- a. See USGS topographic map.
- b. Producing wells in a one-mile radius:
 - 1. Sec. 13 Petrovest 13-1; gas
 - 2. Sec. 13 Jacobs 1; gas
 - 3. Sec. 13 Jacobs 2; gas
 - 4. Sec. 14 Browndirt #1; gas
 - 5. Sec. 14 Browndirt #2; gas
 - 6. Sec. 14 Willard Pease No. 12; oil & gas
 - 7. Sec. 14 TXO 14-1; oil
 - 8. Sec. 14 Willard Pease No. 4; oil
 - 9. Sec. 15 TXO 15-4; shut-in oil
 - 10. Sec. 23 Inland Fuels 23-3; oil
 - 11. Sec. 23 Inland Fuels 23-8; shut-in gas
 - 12. Sec. 23 TXO Mesa 23-1; oil
 - 13. Sec. 23 Inland Fuels 23-4; gas
 - 14. Sec. 23 Inland Fuels 23-1A; oil
 - 15. Sec. 24 Jacobs 24-2; gas
 - 16. Sec. 24 Clayton Cathy; gas
 - 17. Sec. 24 Jacobs 24-1; gas
- c. Producing wells in a two-mile radius:
 - 1. Sec. 13 Isabelle Thomas No. 8; gas
 - 2. Sec. 13 Isabelle Thomas No. 2; gas
 - 3. Sec. 14 Willard Pease No. 9; gas
 - 4. Sec. 15 TXO 15-2; oil & gas

- 5. Sec. 15 Willard Pease 1; oil & gas
- 6. Sec. 24 Thriftway No. 1; gas
- 7. Sec. 24 Clayton Nicole; gas
- 8. Sec. 25 Jacobs 1-25; oil
- 9. Sec. 27 Cisco Dev No. 1; gas
- 10. Sec. 27 Cisco Dev No. 3; gas
- d. No water, disposal, or injection wells are in a one-mile radius.

4. Location of Existing and/or Proposed Facilities

- a. 1. Tank batteries. Operator maintains various production storage tanks in T2OS R23E. If production is established, new tank batteries will be installed in the southeast corner of the proposed location and will be 125 feet from the wellhead.
- 2. Production facilities. Operator maintains various pumpjacks, dehydrators, and separators in T2OS R23E. If production is established, new production facilities will be installed in the southeast corner of the proposed location. All above-ground production equipment will be painted using one of the colors on the attached list.
- 3. Oil gathering lines. None only to tank at location if oil production is established.
- 4. Gas gathering lines. If the well qualifies for hook-up, Northwest Pipeline will run a 4" lateral from their Trunk A (6") to the well. If the well does not qualify for hook-up by Northwest Pipeline, a line (pending right-of-way) operated by Grand Valley Gas Transmission Company will be run from the Inland Fuels 23-8 well to the 23-14 well. Gas lines will follow existing roads as much as possible.
 - 5. Injection lines. None.
 - 6. Disposal lines. None.
- b. Any new facilities required in the event of production will be located in the southeast corner of the proposed location. See the enclosed sketch of the area showing planned production facilities. All open and exposed pits will be fenced to protect livestock and wildlife, and an earthen fire bunker will be built around any tanks to hold 110% of the tank volume. Gas lines will be laid on the surface to the lateral 4" line from the Trunk A line (pending right-of-way) operated by Northwest Pipeline or to the Inland Fuels 23-8 well (pending right-of-way) operated by Grand Valley Gas. A time schedule for this will be within a 60-day period following completion of the well.
- c. The reserve pit and any portion of the location and access road not needed for production or production facilities will be reclaimed as described in the rehabilitation section. All stockpiled/windrowed topsoil will be used in reclaiming unused areas.

5. Location and Type of Water Supply

- a. Cisco Springs in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 4, T2OS R23E. We have a state water permit.
 - b. State method of transporting water. Water tank truck.
 - c. No water well is planned or needed.

6. Source of Construction Materials

The location will be on Federal land so if any sand or gravel is needed, it will be brought into the area from a private source in Thompson, Utah, 21 miles west. Until production is established, the road will be a surface-scraped dirt road from the existing road to the proposed well location. No construction materials are planned or needed. This is flat desert land on a Mancos Shale formation. Bladed roads that are watered and packed down are the best roads for this area.

7. Method for Handling Waste Disposal

Cutting and drilling fluids will be discharged via air into the reserve pit. A portable chemical toilet will be on location for sewage. Garbage and waste materials will be placed in a trash cage and hauled out when work is completed. The location will be cleaned, and all materials will be hauled away. Produced fluids (oil and water) will go into tanks and pits, respectively. The blouey line will be 125 feet long, centered, and angled down into a trench pit. It will be anchored. The blouey line will be misted while drilling with air. The area will be free of trash and debris when the rig is moved out. If any waste material is to be burned, a burning permit will be obtained from the State Land Forestry and Fire Control office in Moab, Utah prior to burning.

8. Auxiliary Facilities

None other than a trailer and dog house. No camp or air strip is required.

9. Well Site Layout

- l. Cross section of 150' x 150' drill pad with cuts and fills. The well location is relatively flat and requires minimum cuts and fills. Vegetation and 6-8 inches of topsoil will be stockpiled/windrowed on the west side of the location.
- 2. Mud tank, reserve pit, and trash cages. See well pad schematic. The reserve/blouey pit will be located on the north side of the location. The pit will be fenced on 3 sides prior to drilling, and the fourth side will be fenced when drilling is completed. The fence will be 36" high of woven wire plus one strand of barbed wire for support.
 - 3. See drawing.
 - 4. Pits are to be unlined.

10. Restoration Plans

- 1. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be disposed of in the portable trash cage and will be hauled to a local town dumpsite. No trash will be left in the pits.
- 2. The operator or his contractor will notify the Grand Resource Area BLM Office in Moab, Utah (801-259-8193) four to eight hours prior to starting rehabilitation work that involves earthmoving equipment. The Grand Resource Area BLM Office in Moab will again be notified upon completion of restoration.
- 3. Prior to any dirtwork restoration of disturbed areas, the reserve/blouey pit will be dry and completely free of any trash or debris. Any such trash or debris will be removed from the pit and public lands.
- 4. All disturbed areas to be restored will be recontoured to blend with the surrounding area. The stockpiled/windrowed topsoil will be evenly distributed over the rehabilitated area. All rehabilitated areas will be scarified to a dtpth of 12 inches.
- 5. The rehabilitated area will be seeded from October 15 to November 15 or any other time that the Grand Resource Area Office approves. See attachment for seed mixture. The seed mixture will either be broadcast or drilled. If the seed is broadcast, the seeded area will be harrowed or dragged to assure seed cover. After seeding is completed, any stockpiled vegetation will be scattered evenly over the reclaimed area and walked down with a dozer. Any reclaimed access roads will be blocked to prevent use.
- 6. If the proposed well is completed as a producer, any unused areas will be reclaimed as previously described.
 - 7. After the rig is moved.
- 8. If there is oil in the pit, we will either remove it or install overhead flagging.
- 9. Rehabilitation of the well site area will be completed within 60 days after abandonment with the exception of reseeding following BLM instructions (October 15 to November 15). In the event the well is completed as a dry hole, rehabilitation will take place within 60 days after release of the drilling rig. In the event the well is completed as a commercial producer of oil and/or gas, unused portions of the well pad will be rehabilitated within 60 days after completion. All restoration will be as per BLM instructions.

11. Other Information

1. The location is part of the Green River desert area. Vegetation consists of scrub sagebrush, rabbitbrush, and shadscale. Cattle and sheep graze the area in the fall and spring seasons. Cisco Springs is approximately $3\frac{1}{2}$ miles to the northwest with practically no dwellings and no evidence of historical, cultural, or archaeological value.

- The Grand Resource Area office in Moab, Utah (801-259-8193) will be contacted 48 hours prior to commencing any work on public lands.
- 3. The operator's dirtwork contractor will be furnished with an approved surface-use plan and with BLM stipulations prior to any work.
- 4. An archaeological survey is not required as the area has been previously cleared.
- 5. If any subsurface cultural material is exposed during construction, work will stop immediately, and the Grand Resource Area Office will be notified. All persons in the area will be informed of possible prosecution if they are caught disturbing archaeological sites or removing artifacts.

12. Operator

Ambra Oil and Gas Company American Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

Telephone: (801) 532-6640

Attention: Wesley Pettingill

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil and Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


april 1, 1983

Exploration Vice-President


Lut & Fill Diagram Ci500 55 23-14

thorizontal Scale: 1" = 60 feet Vertical Scale: 1" = 12 fut

W




Ŋ




WELL PAD SCHEMATIC

Ambra IF Cisco SS 23-14



Scale: 1" = 30 ft.

Stockpiled Topsoil



TANK BATTERY

FENCED AND FIRE BERMED DIT IS SEPERATOR DEHYDRATOR
WIDER

WETER

c



United States Department of the Interior

BUFEAU OF LAND MANAGEMENT

SUGGESTED COLORS TO PAINT OIL & GAS PRODUCTION FACILITIES

Cisco Desert and Flats below the Bookcliffs:

Dynasty Green

(Sears)

Tumb1 eweed

(Pratt & Lambert)

Lave provide

Sage Gray

(Pratt & Lambert)

.Bookcliffs Region:

Sage Gray

(Pratt & Lambert)

Sea Life

(Pratt & Lambert)


Dynasty Green

(Sears)

Similar hues other than the ones mentioned above must be approved by the Grand Resource Area Manager.

SEED MIXTURE

<u>Species</u>		<u>Rate</u> 1bs/acre
Grasses		
Hilaria jamesii Oryzopsis hymenoides	Galleta (Curlygrass) Indian ricegrass	1
<u>Forbs</u>		
Aster chilensis Helianthus annuus	Pacific aster Common sunflower (Kansas sunflower)	.5 .5
Sphaeralcea coccinea	Scarlet globemallow	1
Shrubs		
Artemisia spinescens Atriplex corrugata	Bud sagebrush Mat saltbush (Castle Valley clover)	1
	Total	6



OPERATOR AMPLAA OIL & GAS CO	DATE 4-5-82
WELL NAME	
SEC NWSE 23 T 205 R 23 E COUNTY	GRAND
	E OF LEASE
POSTING CHECK OFF:	
INDEX	
NID PI	
MAP	
PROCESSING COMMENTS: DISTANCES OF EXCEPT FOR DISTA	
1F23-5 P&A efective 4-7	7-83
pger John	
APPROVAL LETTER:	
SPACING: UNIT c-3-a	CAUSE NO. & DATE
с-3-6	2
SPECIAL LANGUAGE:	

\$

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFORMATION
VERIFY ADEQUATE AND PROPER BONDING
AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.
APPLY SPACING CONSIDERATION
ORDER
UNIT
c-3-b
с-3-с
CHECK DISTANCE TO NEAREST WELL. 700 CLOSE
CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

No. 2 € No. 2

Ambra Oil & Gas Company 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

> RE: Well No. Cisco SS 23-44 NWSE Sec. 23, T.20S, R.23E 2440' FSL, 1820' FEL Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with the Order issued in Cause No. 102-16B dated November 15, 1979.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-019-31053.

Sincerely,

R. J. Firth

Chief Petroleum Engineer

RJF/as cc: Oil & Gas Operations Enclosure

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY	AMBRA	OIL & GAS		
WELL NAME:	Cisco SS 23-14			
SECTION_NWSE 23	Township209	S RANGE 23E	COUNTY Grand	·
DRILLING CONTRAC	TOR Starner			:
RIG #9				<u> </u>
SPUDDED: DATE_	7-14-83		!	1. 1. 1
TIME_	3:30 AM			
How	Rotary			
DRILLING WILL CO	DMMENCE			
REPORTED BY	Linda Conde	and the same of th		
TELEPHONE #	532-6640			
DATE	7-14-83	SIGNE	Das	

NOTICE OF SPUD	
Company: Ciula	
Caller: Linde Carde.	
Phone: 532 -4640	•
Well Number: (120 55 # 13-14 Location: NWSE 23-205-23E	
Location: NWSE 23-205-23E	
County: State:	
Lease Number: U-4223	
Lease Expiration Date:	
Unit Name (If Applicable):	
Date & Time Spudded: 7-14 330AM	
Dry Hole Spudder/Rotary: Rotary	
Details of Spud (Hole, Casing, Cement, etc.)	
11 kol	
Rotary Rig Name & Number: 5 tarner #9	
Approximate Date Rotary Moves In:	
FOLLOW WITH SUNDRY NOTICE	
WM	
Call Received By: $\frac{2}{3} = \frac{11-82}{5}$	
Date:	***
DECEIVE	
4000	
, mil 17 1993	
the state of the s	

DIVISION OF THE BAS'S MINING



Form approved. Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

		G	EOLOGIC.	AL SU	RVEY			. : .		U-42			
WELL CO	OMPLE	TION	OR RECO	MPLET	ION	REPOR	T AN	D LO	G *	1		OTTEE OR TRIBE	NAM
1a. TYPE OF WE		OIL	GAS WELL		<u> </u>	·		·		7. UNIT AG		NT NAMP	
b. TYPE OF CO	MPLETION	WELL	WELL E	<u></u> ⊅:	RY L.	Other				NA.			=
NEW X	WORK	DEEP-	PLUG BACK	DIFF		Other	•			S. FARM OR	LEASI	S NAME	
2. NAME OF OPER.					·	Other		l l				uels -	-
Ambra Oi	7 & Ga	s Comps	nv							9. WELL NO			
3: ADDRESS OF OP		D COMPO	.11.4					1.		- Cien		- 23-14	
47 W. 20 4. LOCATION OF W	0 S.,	Suite 5	10 Salt	Lake C	itv.	UT 84	101			10. FIELD A	ND PO	OL, OR WILDCAT	
	ELL (Repo	rt location	clearly and in o	ccordance	with ar	y State re	uiremen	ts)*		Grea	$ ext{ter}$	Cisco Area	 Ł
At surface	27701	ਯੂਵਾ 1c	20' FEL,	MILTA CITE	1				•	11. SEC., T., OR ARE	, R., М.,	OR BLOCK AND SU	RVE
At top prod. in	terval rep	orted belov	ZO PELL,	MMA DE	14		•			Ş			<u>:</u>
At total depth			la de la companya de					:		Sec.	23,	T20S R23E	,
At total depui			į.	14 pp	MIT NO.		DATE	ISSUED		12. COUNTY	- OR	1.13. STATE	
a.			Ž.	14. 12.	MIL NO.	•	1			PARISH		. A	=
15. DATE SPUDDED	16. DAT	E T.D. REA	CHED 17. DAT	COMPL. 4	Ready t	a prod)		9/83		<u> Gran</u>		ELEV. CASINGHEA	AD
7/14/83	1	/16/83		/8/83						RT, GR, ETC.)*			
20. TOTAL DEPTH, ME			BACK T.D., MD &		IF MUI	TIPLE COM		4691 1 1 23. INT		ROTARY TO	OLS	CABLE TOOL	5
1840 '					HOW M	IANY*	T	DRI	LLED BY	0-18401		1 *:	
24. PRODUCING INTE	ERVAL(S),	OF THIS CO	MPLETION-TOP	BOTTOM,	NAME (MD AND TV	D) *	1		0-1040	2	5. WAS DIRECTIO	NAL
							:	•				SURVEY MADE	
Dakota								:				No	
26. TYPE ELECTRIC	AND OTHE	R LOGS RUN	, j.,	· • • • • • • • • • • • • • • • • • • •			•				27. V	VAS WELL CORED	
Compensa	ted De	nsity,	Dual Indu	ction,	Comp	outer-A	nalyz	ed, Ce	ment	Bond		No	
28.					RD ⁱ (Rep	ort all stri	ngs set ir	well)	Pristation of Land	Commission resources			
CASING SIZE	<u> </u>	HT, LB./FT.		r (MD)	но	LE SIZE		CEN	IENTING	RECORD		AMOUNT PULL	ED
<u>8-5/8"</u>		4.# 	1621			,1"		60 sx			<u> </u>		
4분 !!	1(O╞ #	17251		6-	·3/4"	11	05 sx					
								· · · · · · · · · · · · · · · · · · ·		1 4. 1			
29 .		T 77	VER RECORD				<u> </u>	20		TIDING DEG		1	
SIZE	TOP (M		OTTOM (MD)	SACKS CE	VENTE	1 CCDCDN	(350)	30.		TUBING REC		PACKER SET (3	uni
NA	101 (14	-	7110.4 (1,10)	SACKS CE.	ME.11	SCREEN	(MD)			DEPTH SET (N		PACRER SEI (.	
- IVA		_						2 - 3/8	<u>''</u>	1327			
31. PERFORATION RE	COED (Inte	erval, size	ind number)			32.	AC	D. SHOT	FRACT	URE, CEMEN	T SOU	EEZE ETC.	
			, či				INTERVAL					MATERIAL USED	<u></u>
1348' -136	641	2 JSPF							Meth	anol Bre	a kdo:	พฑ	
							: -	ì			21100	:	
			, v										
			100				.*			L. 1		1 -	
33.*		·				OUCTION		!					
DATE FIRST PRODUCT	rion	1	ON METHOD (F	lowing, gai	lift, pi	ımpingsi.	ze and ty	pe of pun	ıp)		STATU st-in)	s (Producing or	
8/12/83 DATE OF TEST	1 1105.00		wing				<u> </u>	· · · · · · · · · · · · · · · · · · ·				Shut-in	
8/12/83	HOURS	TESTED	CHOKE SIZE	PROD'N.		OIL—BBI	.	GASMC	F.	WATER—BBI	-	GAS-OIL RATIO	
O/ I Z/ O 3 FLOW. TUBING PRESS.	CASING	PRESSURE	111					1		<u></u>			
50 psi	CABING	· neodike	CALCULATED 24-HOUR RATE	OIL—BI	B1	1	мс г .	· · 1	WATER-	-sst.	OIL G	RAVITY-API (CORB	• •
34. DISPOSITION OF	AS (Sold.	used for tue	l. vented etc)	.	<u> </u>		80			TEST WITNE	SSED D	Υ	
								: .					
Vented S5. LIST OF ATTACE	MENTS					· · · · · · · · · · · · · · · · · · ·				J. Ki	rkse;	У	
Electric	Logg												
36. I hereby certify	that the	foregoing a	nd attached in	ormation	is comp	lete and co	rrect as	determine	d from	all available r	ecords		
, n	7:1	onde											
SIGNED/IV	\sim	· · ·	·	TIT	rne P	roduct	ion Ma	mager		DATE	a 8.	/26/83	

INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample, and core analysis, all types electric, etc.), formaor both, pursuant to applicable Rederal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Rederal for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

tion and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. should be listed on this form, see item 35.

attachments

Consult local State liem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

14 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s). (If any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. data pertinent to such interval. the additiona showing produced, additional interval to be separately or Federal office for specific instructions,

Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool (See Instruction for items 22 and 24 above.) separate completion report on this form for each interval to be separately produced. Submit "Sacks Hem 29:

	FORMATION TOP BOTTOM	TOP	BOTTOM		DESCRIPTION, CONTENTS, ETC.	DESCRIPTION, CONTENTS, ETC.					-	TOP	
Shale Surface: 12811 1478 1840		7					1979		ž	8	MEAS.	MBAS. DEPTH	TRUE VERT. DEPTH
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Mancos Shale	Surface							_				
0.0781	Dakota :	12841				and						-	· · · · · · · · · · · · · · · · · · ·
10701	M	2 5					* * * * * * * * * * * * * * * * * * *						
	HOLLISON	14/8							· · · · · ·	Tan 1	-		
	TĎ	1840		<u>-</u>						The second second	 	**; **;	•
												<u>.</u>	
								-			! !		
							.•••		•				
										6 171 6 1			- 1
		eseje Pestie		W. J.			· · ·			Turn	······································		
				·				-		14년 2013년			eraner an
				· · · ·						·		-	
							-		•		-		
								•		er File		-	
					· .		•	· · ·					

871-233

- 574-472

0

PRINTING

GOV ERNMENT

u, s,

,	RTM OF LAND MANAGEMENT	SUBMIT IN TECTATE* (Other instruction re- verse side)	Form approved. Budget Bureau No. 1004-0135 Expires August 31, 1985 5. LEASE DESIGNATION AND SERIAL NO. U-42223
(Do not use this form for	NOTICES AND REPORTS OF PROPOSALS to drill or to deepen or plug back PLICATION FOR PERMIT—" for such prop	to a different reservoir	6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
OIL GAS XX OTE			7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	LE		N/A
AMBRA OIL AND GAS C	OMPANY		8. FARM OR LEASE NAME Inland Fuels
			9. WELL NO.
47 West 200 South, S	uite 510, SLC, Utah 8410	1	Cisco SS 23-14
See also space 17 below.) At surface	tion clearly and in accordance with any Sta	ate requirements.*	10. FIELD AND POOL, OR WILDCAT
	CI 10201 PPr armi and		Greater Cisco Area
2440 F.	SL 1820' FEL, NE4SE4		11. SEC., T., E., M., OR BLK. AND SURVEY OR ARM
			Section 23, T2OS, R23E
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT.	, GR, etc.)	12. COUNTY OR PARISH 13. STATE
43-019-31053	4691' GR	:	
16. Check	Appropriate Box To Indicate Nati	ure of Notice, Report, or O	ther Data
NOTICE OF I	NTENTION TO:		INT REPORT OF:
TEST WATER SHUT-OFF FRACTURE TREAT	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
SHOOT OR ACIDIZE	MULTIPLE COMPLETE ABANDON*	FRACTURE TREATMENT	ALTERING CASING
REPAIR WELL	CHANGE PLANS	Other) Change of O	ABANDONMENT*
(Other)	TLANS	(NOTE: Report results	of multiple completter
17. DESCRIBE PROPOSED OR COMPLETE	OPERATIONS (Clausia state of parties	- Surpretion of Recomple	tion Report and Log form.)
Please note that	operations (Clearly state all pertinent de rectionally drilled, give subsurface locations : Ambra Oil and Gas Companderator is as follows:		acpens for an markers and zones perti-
	MASTER PETROLEUM AND 814 South 7th Street	DEVELOPMENT COMPANY	, INC.

MASTER PETROLEUM AND DEVELOPMENT COMPANY, INC. 814 South 7th Street Grand Junction, Colorado 81501 (303) 241-4213

Attached you will find the appropriate Designation of Operator Forms, in triplicate.

This is effective March 1, 1985.

18. I hereby certify that the foregoing is true and constitution		
18. I hereby certify that the foregoing is true and correct SIGNED	TITLE PRODUCTION MANAGER	DATE 3/8/85
(This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE



July 6,1987

DIVISION OF OIL, GAS & MINING

Utah Division Oil, Gas & Mining 355 West North Temple #3 Triad Center, Suite 350 Salt Lake City, Utah 84108-1203 American Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101 (801) 532-6640



Dear Sirs.

As a follow-up to my phone conversation this morning, I am officially requesting that you change the name on our DOGM # 56-64-21 for the IF 23-4 and \$\overline{SS}\$ 23-14 processed by us in the name of Master Petroleum back to Ambra Oil and Gas Company. We have always had the reporting responsibilities on these wells, and Master has lost operatorship due to a default in their agreement with us. Make this effective as of 7/1/87. Everything else on the form should remain the same. Thank you in advance for your cooperation.

Sincerely,

Ambra Oil and Gas Company

43-014-31053

Kerry/M. Miller

Land/Production Manager

KMM/lac

(2) -NC5

Form 3160-8 (November 1983) (Formerly 9-1123)

(Submit in triplicate to appropriate **BLM** District Office)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

STATE OFFICE:

Utah

SERIAL NO .:

U-42223

and hereby designates

NAME: MASTER PETROLEUM AND DEVELOPMENT COMPANY, INC.

ADDRESS: 814 South 7th Street

the lease and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160) with respect to (describe acreage to which this designation is applicable):

> T20S, R23E Section 23, Center NW4NE4 40.00 acres

This assignment is limited in depth to only those horizons between the surface of the earth and 1856' being the total depth in the Inland Fuels 23-4 well in the Center NW4NE4 of Section 23, T20S, R23E, Grand County, Utah. Affected acreage is 40.00 acres or State approved proration spacing for gas wells, which ever is less.

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the authorized officer of any change in the designated operator.

AMBRA OIL AND GAS COMPANY

(Signature of lessee)

Land Manager

Salt Lake City, Utah 84101

200 South, Suite 510

March 8, 1985

(Date)

(Address)

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and thereto does not require OMB approval.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drift new wells, deepen existing wells, or to reenter plugged and abandon

1	
:/	Lease Designation and Serial Number U~ 42223
	7. Indian Allottee or Tribe Name
ed wells.	8 Unit of Communities to
en wedar	8. Unit or Communitization Agreement
	9. Well Name and Number
	23-14
	10. API Well Number
r	43-0/93/053 11. Field and Pool, or Wildcat
	GREATER CISCO
	7-27-22-32-8
County	: Glaw
State	: UTAH
	RT, OR OTHER DATA
	QUENT REPORT
(Submit	Original Form Only)
	☐ New Construction
	Pull or Alter Casing
5	Shoot or Acidize
jection	☐ Vent or Flare
•	☐ Water Shut-Off
	SHUT IN

Use APPLICATION FOR PERMIT—for such proposals I. Type of Well Oil Well Other (specify) 2. Name of Operator AMBRA OIL & GAS CO. 49 WEST 300 SOUTH, #3657 N. 3. Address of Operator SALT LAKE CITY, UTAH 84101 4. Telephone Numbe 532-669 . Location of Well Footage QQ, Sec, T., R., M. : NWYSE 40+ SEZ, 23, 7.205., R 23E. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE NOTICE OF INTENT (Submit in Duplicate) Abandonment **New Construction** Abandonment * Casing Repair Pull or Alter Casing Casing Repair Change of Plans Recompletion Change of Plans Conversion to Injection Shoot or Acidize Conversion to In Fracture Treat Vent or Flare Fracture Treat Multiple Completion Water Shut-Off Other Other Date of Work Completion Approximate Date Work Will Start Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. Must be accompanied by a cement verification report.

3. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WERC 15 5715T

JAN 13 1992

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoing is true Nama & Signature

REDUCET AN EXTENSION OF PRINCIPARY ABANDONMENT OF THESE WELLS WITH EACH CAN BE TREATED WITH THIS PROCESS. PROCESS IS CURRENTLY ISENGE ENHANCED TO HERD ACHIEVE THIS CAN ACCORDANCE WITH P. 649-3-24 LUBLS ARE CONSTINTEY VISUACOY MONITORED TO INSURE THEIR MECHANICAL INTEGRITY.

(This space for State use only

ne & Signature:

THE CONSULTANT

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

R	OUTING
1.	DJJ
2	CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	8/1/2006
FROM: (Old Operator):	TO: (New Operator):
N0030-Ambra Oil & Gas Company	N3110-Jurassic Oil & Gas Company
215 Hillcrest Ave	1070 Raymond Road
Rangely, CO 81648	Fruit Heights, UT 84037
Phone: 1 (970) 629-1116	Phone: 1 (303) 887-8122

Prione: 1 (970) 629-1116	CA No.			Unit:	, 00, 0111			
WELL NAME		TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
CISCO SS 10-2	10	200S 2	30E	4301931049	9465	Federal	GW	S
LEVON 1	11	200S 2	30E	4301930402	2230	Federal	ow	S
CISCO SS 11-5	11	200S 2	30E	4301931056	2275	Federal	OW	S
INLAND FUELS 11-8B	11	200S 2	30E	4301931147	10881	Federal	ow	S
LEVON 3	11	200S 2	30E	4301931234	10802	Federal	ow	S
BROWNDIRT 1	14	200S 2	30E	4301930395	2230	Federal	GW	S
ΓΧΟ 14-1	14	200S 2	30E	4301930610	2240	Federal	ow	S
BROWNDIRT 2	14	200S 2	30E	4301930691	2230	Federal	GW	P
ΓΧΟ 14-2	14	200S 2	30E	4301931089	2290	Federal	ow	S
BROWNDIRT 5	14	200S 2	30E	4301931143	9292	Federal	GW	S
ΓΧΟ 14-3	14	200S 2	30E	4301931144	2290	Federal	ow	S
TXO 15-2				4301930690	2245	Federal	ow	S
TXO MESA 15-4				4301930832	8221	Federal	ow	S
TXO 23-1		200S 2		4301930693	2250	Federal	ow	P
AMBRA 1F 23-4		200S 2		4301930950	2265	Federal	GW	S
AMBRA 1F 23-8		200S 2		4301930998	2270	Federal	GW	S
CISCO SS 23-10		-		4301931050	2275	Federal	GW	S
CISCO SS 23-14	The second secon			4301931053	10225	Federal	GW	S
CISCO SS 23-15				4301931073	2280	Federal	ow	S
TXO 23-1C	23			4301931220	10678	Federal	ow	S
CISCO FX 25-3				4301931107	8223	Federal	ow	S
e15CO 1 A 25-5		2000	-		1			
			74		 	†		
*** - 		-	- 100	3/1-3/1-3/1-3/1-3/1-3/1-3/1-3/1-3/1-3/1-				
						t		
		++			-	100		
		-			+	+	-	
. 22					-	1		-
		-			i			
			502	* ************************************		†		
3100-000 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100 1-100		\vdash				 		
		-	_		4	<u> </u>	-	
				-			-	-
		\vdash						
				72 33		-		
		\vdash					/=	
700		\perp						
						232		
						92002A		
					A.C			
	=927							

OPERATOR CHANGES DOCUMENTATION

En ² 1. 2.	ter date after each listed item is completed (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 8/23/2006
3.	The new company was checked on the Department of Commerce , Division of Corporations Database on: 8/14/2006
4.	Is the new operator registered in the State of Utah: YES Business Number: 6281625-0111
5.	If NO, the operator was contacted contacted on:
<i>(</i> -	(R649-9-2)Waste Management Plan has been received on: IN PLACE
	mapooned of Editional to the second of the s
6c.	Reports current for Production/Disposition & Sundries on: ok ok
7.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/8/2006 BIA
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on:
9.	Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on:
10	. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:
DA	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 8/28/2006
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/28/2006
3.	Bond information entered in RBDMS on:
4.	Fee/State wells attached to bond in RBDMS on:
5.	Injection Projects to new operator in RBDMS on:
6.	Receipt of Acceptance of Drilling Procedures for APD/New on: n/a
BO	OND VERIFICATION:
1.	Federal well(s) covered by Bond Number: UTB000220
2.	Indian well(s) covered by Bond Number:
3.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number n/a
	The FORMER operator has requested a release of liability from their bond on: The Division sent response by letter on:
	EASE INTEREST OWNER NOTIFICATION:
4.	(R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
cc	DMMENTS:
_	
_	
_	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 42223			
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill ne	7. UNIT or CA AGREEMENT NAME:			
drill horizontal tat	terals. Use APPLICATION FOR PERMIT TO DRILL IN	form for such proposal		8. WELL NAME and NUMBER:
OIL WELL	GAS WELL OTHER _			SEE ATTACHED LIST
2. NAME OF OPERATOR: JURASSIC OIL & GAS CC).			9. API NUMBER:
3. ADDRESS OF OPERATOR:		04027	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
1070 RAYMOND 4. LOCATION OF WELL	FRUIT HEIGHTS STATE UT ZIP	84037	(303) 887-8122	GREATER GISCO
FOOTAGES AT SURFACE:				COUNTY: GRAND
QTRAQTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start	CASING REPAIR	NEW CONS.	TRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND A	ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTIO	ON (START/RESUME)	WATER SHUT-OFF
San o non company	COMMINGLE PRODUCING FORMATIONS	RECLAMATI	ON OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all p	pertinent details ind	cluding dates, depths, volum	nes, etc.
The new owner and opera	bra Oil and Gas Company sold a tor is Jurassic Oil & Gas Co., 10 nership of all operating rights to	70 Raymond	Road, Fruit Heights	e wells listed on the attached list. , UT 84037. Ambra Oil and Gas
is				
- 1 01	A			
Du Shua Massur				
Old Operator/Ambra Oil and Gas Company New Operator/J			New Operator/J	urassic Oil & Gas Co.
Dr. Henry Mazarowl				
Date: 7/24/06			Date: 8-0	13.06
	by BLM Bond No. UTB (3 6022	20	
This lease will be covered	by BLM Bond No.			
NAME (PLEASE PRINT) Linda C. G	Gordon	TITL	E Office V	Ngr
	1. 1111		7/2/	
SIGNATURE	vera y-fora	DAT	- 1/2110	
This space for State use only)		80		
				-
ADDDOME	D 8139106			RECEIVED

(5/2000)

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See instructions on Reverse Side)

AUG 23.

DIV. OF OIL, GAS

Form 3160-5

UNITED STATES

FORM APPROVED

	Expires: March 31, 2
_	0.1137

(February 2005)	DEPARTMENT OF THE	INTERIOR			Expires: March 31, 2007			
	BUREAU OF LAND MAN	AGEMENT		5. Lease Seri		- 1		
SUN	DRY NOTICES AND REI	PORTS ON WE	LLS	UTU 42				
Do not u	use this form for proposals (led well. Use Form 3160-3 (o drill or to re-e	enter an	6. If Indian	n, Allottee or Tribe Name			
SUBMITI	N TRIPLICATE- Other inst	ructions on reve	se side.	7. If Unit o	r CA/Agreement, Name and/or No			
1. Type of Well Oil Well	Gas Well Other			8. Well Name and No. SEE ATTACHED				
2. Name of Operator JURA	SSIC OIL & GAS CO.			9. API W				
3a. Address 1070 RAYMOND ROA	D	3b. Phone No. (include 363-887-8122	area code)	10. Field and Pool, or Exploratory Area				
4. Location of Well (Footog	e, Sec., T., R., M., or Survey Description)			GREATER CISCO				
SEE ATTACHED LIST	r			11. County or Parish, State Grand County, Utah				
10.000	CK APPROPRIATE BOX(ES) TO	INDICATE NATIO	E OF MOTIOE 1			_		
				dioxi, oi	Corner Divis			
TYPE OF SUBMISSION		TY	PE OF ACTION		П	- W		
Notice of Intent	Acidize	Deepen	Production (S	tart/Resume)	Water Shut-Off Well Integrity			
Notice of Intent	Alter Casing	Fracture Treat	Recomplete		Other CHANGE OF			
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Temporarily A	bendon	OPERATOR	-		
Final Abandonment N	1 —	Plug Back	Water Disposa					
If the proposal is to dee Attach the Bond under following completion of testing has been complete determined that the site Effective on Aug. 1, and operator is Jun of all operating rig- conducted on the in	Completed Operation (clearly state all pertipen directionally or recomplete horizontal which the work will be performed or provof the involved operations. If the operation etcd. Final Abandonment Notices must be is ready for final inspection.) , 2006, Ambra Oil and Gas Company rassic Oil & Gas Co., 1070 Rayesson late to Jurassic Oil & Gas Co. Jurasse lands or portions thereof.	ly, give subsurface location in the Bond No. on file voresults in a multiple compelied only after all require vold all its interest and Road, Fruit Heights, ic Oil & Gas Co. is res	ns and measured and twith BLM/BIA. Requisition or recompletion greens, including recladous and the water ship in the UT 84037. Ambra ponsible under the	rue vertical depr ired subsequent in a new interv mation, have be well listed on a Oil and Gas	as or an perment markets and John reports must be filed within 30 day al, a Form 3160-4 must be filed on the completed, and the operator has the attached list. The new evi Company relinquishes owners	rs ce ner		
	722 172	,	00		206t			
De D	les Men	1	>	>	7.76			
Old Operator/Ami		New Oper	ator/Jurassie Oil &	Gas Co.	HE TO	6		
Dr. Henry Masars Date 7/24	100	Date	3-03-0	16	ט יי			
14 Thereby certify that	the foregoing is true and correct					<u> </u>		
Name (Printed/Ty)	ped)	A CONTRACT	600	2 4 50	- 17			

THIS SPACE FOR FEDERAL OR STATE OFFICE USE 8/8/06 Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

EXHIBIT "A" UTU 42223

WELL NAME	WELL#	API#	QTR	SEC	TWP	RANGE	COUNTY	STATE
ISLAND FUEL ISLAND FUEL ISLAND FUEL CISCO SS FEDERAL FEDERAL FEDERAL CISCO SS	23-4 23-8 23-10 11-5 23-15 10-2 23-14 11-8B	43-019-30950 00 S01 43-019-30998 00 S01 43-019-31050 00 S01 /43-019-31056 00 S01 43-019-31073 00 S01 43-019-31049 00 S01 /43-019-31053 00 S01 43-019-31147 00 S01	NWNE NESE SWNE SWNE NENE NENE NWSE		23 20S 23 20S 23 20S 11 20S 23 20S 10 20S 23 20S 11 20S	23E 23E 23E 23E 23E 23E 23E 23E	GRAND GRAND GRAND GRAND GRAND GRAND GRAND GRAND	UTAH UTAH UTAH UTAH UTAH UTAH UTAH UTAH

Jurassic Oil and Gas Company Well Nos. 23-4, 23-8, 23-10, 11-5, 23-15, 10-2, 23-14 and 11-8B Sections 10, 11 and 23, T20S, R23E Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jurassic Oil and Gas Company is considered to be the operator of the above wells effective August 1, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000220 (Principal – Jurassic Oil and Gas Company) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING	3
1. DJJ	

			2. CDW						
X - Change of Operator (Well Sold) Operator Name Change/M						Change/Mei	rger	**	
- 7	The operator of the well(s) listed below has chan	ged, e	effectiv	e:		1	0/27/2007		
N3	ROM: (Old Operator): 110-Jurassic Oil 215 Hillcrest Ave Rangeley, CO 81648					er Homes, In eefer Rd CA 95973	nc.		
FII	one: 1 (970) 629-1116 CA No.				Unit:	094-0094			
WI	ELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
	SEE ATTACHED LIST some wells changed names								
En 1. 2. 3.	ter date after each listed item is completed (R649-8-10) Sundry or legal documentation was (R649-8-10) Sundry or legal documentation was The new company was checked on the Depart	as rec	eived fi	rom the	NEW operator, Division of Co	on: orporation		- n:	1/16/2008
4a.	Is the new operator registered in the State of U	Jtah:		YES	Business Numb	er:	6833582-014	3	
4b.	If NO, the operator was contacted contacted of	on:							
5a.	(R649-9-2)Waste Management Plan has been re	eceive	d on:		12/14/2007	_			
	Inspections of LA PA state/fee well sites comp				n/a	_			
5c.	Reports current for Production/Disposition & S	Sundri	es on:			-			
 7. 	Federal and Indian Lease Wells: The BI or operator change for all wells listed on Feder Federal and Indian Units:					BLM	ame change, 10/26/2007	BIA	-
	The BLM or BIA has approved the successor	r of u	nit oper	ator for	wells listed on:	:	n/a		
8.			_					_	
	The BLM or BIA has approved the operator	for al	l wells				n/a	_	
9.	Underground Injection Control ("UIC"	')		The Di	vision has appro	oved UIC F	orm 5, Trans	fer of Au	thority to
	Inject, for the enhanced/secondary recovery un	nit/pro	ject for	r the wa	ater disposal wel	ll(s) listed o	on:	n/a	_
\mathbf{D}_{A}	ATA ENTRY:								
1.	Changes entered in the Oil and Gas Database			-	1/16/2008	_	414 618000		
2.	Changes have been entered on the Monthly O	perat	or Cha	inge Sp			1/16/2008	_	
3.	Bond information entered in RBDMS on:				n/a	_			

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number:

Injection Projects to new operator in RBDMS on:

Receipt of Acceptance of Drilling Procedures for APD/New on:

4. Fee/State wells attached to bond in RBDMS on:

UTB000238

. Indian well(s) covered by Bond Number:

n/a

n/a

n/a

3a. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number

n/a

3b. The **FORMER** operator has requested a release of liability from their bond on:

n/a

n/a

The Division sent response by letter on:

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

n/a

COMMENTS:

Wells formerly operated by Ambra Oil before Jurassic. Mr. Schuster was partners in both and has taken over duties of other partners and gotten BLM's approval.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

Earlene Russell, Engineering Technician

·	DIVISION OF OIL, GAS AND MI	NING		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
SUNDRY	NOTICES AND REPORTS	ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill ne drill horizontal lat	7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER: SEE ATTACHED LIST			
2. NAME OF OPERATOR: SCHUSTER HOMES INC.	N3345		•	9. API NUMBER: LINHFDD
3. ADDRESS OF OPERATOR:		05070	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
3746 KEEFER ROAD 4. LOCATION OF WELL	CHICO STATE CA ZIP	95973	(530) 894-0894	GREATER CISCO
FOOTAGES AT SURFACE:				COUNTY: GRAND
			n it telephologische Angelein ist der Personal von der Stelen von der Stelen von der Stelen von der Stelen von	
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			YPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start	CASING REPAIR	☐ NEW CONS	STRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	RCHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND	ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BAC	K	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTI	ON (START/RESUME)	WATER SHUT-OFF
Date of Work Completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	TION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPL	ETE - DIFFERENT FORMATION	
Company. The new operations ownership of all operating New Operator/Schuster H Date: // Company / Compan	ator is Schuster Homes Inc., 374 rights to Schuster Homes Inc.	6 Keefer Ro	3//0	sly operated by Jurassic Oil and Gas 3. Jurassic Oil and Gas relinquishes
NAME (PLEASE PRINT) Linda C	Gordon	m	Production/Roya	alty Report Manager
SIGNATURE	rela Gord	DA DA	TE 1/2/2008	
(This space for State use only)	HIKRESTAVE	10n=\	120-1111	
Ra	ingeley CO 81648	(470)	639-1116	RECEIVED
	17/6/2008			
(5/2000) Park F	(See Ins	tructions on Reverse	Side)	JAN 0 4 2008
Division of Oil, C	.		Div.	OF OE, GAO QUIDN <mark>NO</mark>

SCHUSTER HOMES INC ATTACHMENT TO FORM 9

LEASE UTU32574									
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE		
BROWNDIRT	1	43-019-30395 00 S01	SWNE	14 20S	23E	GRAND	UTAH		
LEVON	1	43-019-30402 00 S01	SENW	11 20S	23E	GRAND	UTAH		
BROWNDIRT	2	43-019-30691 00 S01	SENE	14 20S	23E	GRAND	UTAH		
BROWNDIRT	5	43-019-31143 00 S01	SWNE	14 20S	23E	GRAND	UTAH		
LEVON	3	43-019-31234 00 S01	SENW	11 208	23E	GRAND	UTAH		
			ASE UTU 42223						
MELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE		
WELL NAME	VVELL#	AFI#	WIN	OLO 1441	IVAIOL	0001111	OIATE		
ISLAND FUEL	23-4 -K	43-019-30950 00 S01	NWNE	23 208	23E	GRAND	UTAH		
ISLAND FUEL	•	43-019-30998 00 S01	NESE	23 208	23E	GRAND	UTAH		
ISLAND FUEL	•	43-019-31050 00 S01	SWNE	23 20\$	23E	GRAND	UTAH		
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 208	23E	GRAND	UTAH		
FEDERAL		43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH		
FEDERAL		43-019-31049 00 S01	NENE	10 208	23E	GRAND	UTAH		
FEDERAL	23-14.X	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH		
CISCO SS		43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH		
ISLAND FUEL		43-019-31085 00 S01	SWNW	9 208	23E	GRAND	UTAH		
ISLAND FUEL		43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH		
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH		
		LE	ASE UTU 44440						
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE		
TXO	14-1	43-019-30610 00 S01	SWSW	14 20S	23E	GRAND	UTAH		
TXO	15-2	43-019-30690 00 S01	NENW	15 208	23E	GRAND	UTAH		
TXO MESA	23-1*	43-019-30693 00 S01	NENW	23 20\$	23E	GRAND	UTAH		
TXO	14-2	43-019-31089 00 S01	SWSW	14 20S	23E	GRAND	UTAH		
TXO	14-3	43-019-31144 00 S01	SWSW	14 20S	23E	GRAND	UTAH		
TXO	15-4-k	43-019-30832 00 S01	SESE	15 20S	23E	GRAND	UTAH		
TXO	23-1C	43-019-31220 00 S01	NENW	23 208	23E	GRAND	UTAH		
		I 🕾	ASE UTU 24606						
VASCUL NICASC	\A/C!! #	API#	QTR	SEC TWP	RANGE	COUNTY	STATE		
WELL NAME	WELL#	Ari #	WIIV	OLO ITTI	100106				
FLORIDA EX	25.3	43-019- 31 17 00 S01	NENE	25 20S	23E	GRAND	UTAH		
FLURIUM EX	20-0 h		i Armi Arm		-				
		31107							

* changed well names on OGIS

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

 OM B No. 1004-0137 Expires: March 31, 20

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use	this	form	for proposals	to drill o	or to re-enter an
abandoned	well.	Use	Form 3160 - 3	(APD) for	such proposals.

	UTU 42223	
6.	If Indian, Allottee or Tribe Name	

FORM APPROVED

	•	•					
SUBMIT IN TRIPLICAT	7. If Unit or CA/Agreement, Name and/or No.						
Type of Well Gas Well	Other	:		_3	me and No.		
Name of Operator SCHUSTER HOMES IN	NC.			9. API We	TTACHED ell No.	LIST	
Address 746 KEEFER ROAD, CHICO, CA 959	773	3b. Phone No. (included 530-894-0894	le area code)		TTACHED ad Pool, or Ex		
Location of Well (Footage, Sec., T., R., M., or.		330 034 0031		4	TER CISC	-	ca ·
SEE ATTACHED LIST					or Parish, So		
12. CHECK APPROPRIA	ATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE, R	EPORT, OF	R OTHER	DATA	
TYPE OF SUBMISSION	, , , , , , , , , , , , , , , , , , ,	TY	PE OF ACTION	*.			
Subsequent Report Casi	dize er Casing ing Repair nge Plans evert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Str Reclamation Recomplete Temporarily At		Well I	Shut-Off ntegrity CHANGE OPERATO	····
Conv	recomplete horizontall be performed or provi tions. If the operation ment Notices must be	ly, give subsurface location ide the Bond No. on file was results in a multiple comp	ons and measured and true with BLM/BIA. Require pletion or recompletion i	e vertical depti ed subsequent r n a new interva	hs of all pertin reports must t al, a Form 310	nent markers be filed withi 60-4 must be	and zone n 30 days filed one
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operate testing has been completed. Final Abandons determined that the site is ready for final insp EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPO	recomplete horizontal be performed or provi tions. If the operation ment Notices must be pection.) STER HOMES INC ONSIBLE UNDER	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all require the composite filed only after all requires the composite filed only after all requ	ons and measured and the with BLM/BIA. Require pletion or recompletion is ements, including reclar and the control of the cont	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed one
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection. EFFECTIVE OCT. 22, 2007, SCHUS	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRO	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires the composite filed only after all	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed one
B. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operation testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operation operation of the invo	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRODUCED TO THE PROPERTY OF THE PROPE	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires the composite filed only after all	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has
B. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspections. EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPONDUCTED ON THE LEASED LABORD COVERAGE FOR THIS WELL BOND COVERAGE FOR THIS WELL NEW OFFICE THE CONTROL OF THE SERVE OF	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PROBLEMENT.	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires at the TERMS AND CONS THEREOF. DVIDED BY BLM BO	ons and measured and to with BLM/BIA. Require pletion or recompletion is ements, including reclar at AS OPERATOR OF TO CONDITIONS OF TO SOND NO. UTB000238	e vertical depth d subsequent n n a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection. EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPONDUCTED ON THE LEASED LABORDOUGH ON THE LEASED LABORDOUGH OF THIS WELL AND THE LEASED LABORDOUGH OF THE LEASED LABORDOUGH OF THE LEASED LABORDOUGH OF THIS WELL AND THE LEASED LABORDOUGH OF THE LABORD	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRODUCED TO THE PROPERTY OF THE PROPE	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires at the TERMS AND CONS THEREOF. DVIDED BY BLM BO	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depth d subsequent n n a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office

(Instructions on page 2)

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

CC: UDOGM

Conditions Attached

TidDivision of Resources Date
Moab Field Office

RECEIVED

OCT 2 6 2007

Schuster Homes Inc. All Wells on Lease (Well Nos. 9-3, 9-5, 9-6, 10-2, 11-5, 11-8B, 23-4, 23-8, 23-10, 23-14, and 23-15) Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Schuster Homes Inc. is considered to be the operator of the above wells effective October 22, 2007, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000238 (Principal – Schuster Homes Inc.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" UTU 42223

WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4	43-019-30950 00 S01	NWNE	23 20\$	23E	GRAND	UTAH
ISLAND FUEL	23-8	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-2	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL	23-14	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING	3
1. DJJ	

			2. CDW						
X - Change of Operator (Well Sold) Operator Name Change/M						Change/Mei	rger	**	
- 7	The operator of the well(s) listed below has chan	ged, e	effectiv	e:		1	0/27/2007		
N3	ROM: (Old Operator): 110-Jurassic Oil 215 Hillcrest Ave Rangeley, CO 81648					er Homes, In eefer Rd CA 95973	nc.		
FII	one: 1 (970) 629-1116 CA No.				Unit:	094-0094			
WI	ELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
	SEE ATTACHED LIST some wells changed names								
En 1. 2. 3.	ter date after each listed item is completed (R649-8-10) Sundry or legal documentation was (R649-8-10) Sundry or legal documentation was The new company was checked on the Depart	as rec	eived fi	rom the	NEW operator, Division of Co	on: orporation		- n:	1/16/2008
4a.	Is the new operator registered in the State of U	Jtah:		YES	Business Numb	er:	6833582-014	3	
4b.	If NO, the operator was contacted contacted of	on:							
5a.	(R649-9-2)Waste Management Plan has been re	eceive	d on:		12/14/2007	_			
	Inspections of LA PA state/fee well sites comp				n/a	_			
5c.	Reports current for Production/Disposition & S	Sundri	es on:			-			
 7. 	Federal and Indian Lease Wells: The BI or operator change for all wells listed on Feder Federal and Indian Units:					BLM	ame change, 10/26/2007	BIA	-
	The BLM or BIA has approved the successor	r of u	nit oper	ator for	wells listed on:	:	n/a		
8.			_					_	
	The BLM or BIA has approved the operator	for al	l wells				n/a	_	
9.	Underground Injection Control ("UIC"	')		The Di	vision has appro	oved UIC F	orm 5, Trans	fer of Au	thority to
	Inject, for the enhanced/secondary recovery un	nit/pro	ject for	r the wa	ater disposal wel	ll(s) listed o	on:	n/a	_
\mathbf{D}_{A}	ATA ENTRY:								
1.	Changes entered in the Oil and Gas Database			-	1/16/2008	_	414 618000		
2.	Changes have been entered on the Monthly O	perat	or Cha	inge Sp			1/16/2008	_	
3.	Bond information entered in RBDMS on:				n/a	_			

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number:

Injection Projects to new operator in RBDMS on:

Receipt of Acceptance of Drilling Procedures for APD/New on:

4. Fee/State wells attached to bond in RBDMS on:

UTB000238

. Indian well(s) covered by Bond Number:

n/a

n/a

n/a

3a. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number

n/a

3b. The **FORMER** operator has requested a release of liability from their bond on:

n/a

n/a

The Division sent response by letter on:

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:

n/a

COMMENTS:

Wells formerly operated by Ambra Oil before Jurassic. Mr. Schuster was partners in both and has taken over duties of other partners and gotten BLM's approval.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

Earlene Russell, Engineering Technician

·	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST			
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill ne drill horizontal lat	7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL OIL WELL	GAS WELL OTHER_			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: SCHUSTER HOMES INC.	N3345		•	9. API NUMBER: LINHFDD
3. ADDRESS OF OPERATOR:		05070	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
3746 KEEFER ROAD 4. LOCATION OF WELL	CHICO STATE CA ZIP	95973	(530) 894-0894	GREATER CISCO
FOOTAGES AT SURFACE:				COUNTY: GRAND
			n it telephologische Angelein ist der Personal von der Stelen von der Stelen von der Stelen von der Stelen von	
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			YPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start	CASING REPAIR	☐ NEW CONS	STRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	RCHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND	ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BAC	K	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTI	ON (START/RESUME)	WATER SHUT-OFF
Date of Work Completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	TION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPL	ETE - DIFFERENT FORMATION	
Company. The new operations ownership of all operating New Operator/Schuster H Date: // Company / Compan	ator is Schuster Homes Inc., 374 rights to Schuster Homes Inc.	6 Keefer Ro	3//0	sly operated by Jurassic Oil and Gas 3. Jurassic Oil and Gas relinquishes
NAME (PLEASE PRINT) Linda C	Gordon	m	Production/Roya	alty Report Manager
SIGNATURE	rela Gord	DA DA	TE 1/2/2008	
(This space for State use only)	HIKRESTAVE	10n=\	120-1111	
Ra	ingeley CO 81648	(470)	639-1116	RECEIVED
	17/6/2008			
(5/2000) Park F	(See Ins	tructions on Reverse	Side)	JAN 0 4 2008
Division of Oil, C	OF OE, GAO QUIDN <mark>NO</mark>			

SCHUSTER HOMES INC ATTACHMENT TO FORM 9

		LE	ASE UTU32574				
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
BROWNDIRT	1	43-019-30395 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	1	43-019-30402 00 S01	SENW	11 20S	23E	GRAND	UTAH
BROWNDIRT	2	43-019-30691 00 S01	SENE	14 20S	23E	GRAND	UTAH
BROWNDIRT	5	43-019-31143 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	3	43-019-31234 00 S01	SENW	11 208	23E	GRAND	UTAH
			ASE UTU 42223				
MELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
WELL NAME	VVELL#	AF1#	WIN	OLO 1441	IVAIOL	0001111	OIATE
ISLAND FUEL	23-4 -K	43-019-30950 00 S01	NWNE	23 208	23E	GRAND	UTAH
ISLAND FUEL	•	43-019-30998 00 S01	NESE	23 208	23E	GRAND	UTAH
ISLAND FUEL	•	43-019-31050 00 S01	SWNE	23 20\$	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 208	23E	GRAND	UTAH
FEDERAL		43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL		43-019-31049 00 S01	NENE	10 208	23E	GRAND	UTAH
FEDERAL	23-14.X	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS		43-019-31147 00 S01	NWNE	11 208	23E	GRAND	UTAH
ISLAND FUEL		43-019-31085 00 S01	SWNW	9 208	23E	GRAND	UTAH
ISLAND FUEL		43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH
		LE	ASE UTU 44440				
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
TXO	14-1	43-019-30610 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	15-2	43-019-30690 00 S01	NENW	15 208	23E	GRAND	UTAH
TXO MESA	23-1*	43-019-30693 00 S01	NENW	23 20\$	23E	GRAND	UTAH
TXO	14-2	43-019-31089 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	14-3	43-019-31144 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	15-4-k	43-019-30832 00 S01	SESE	15 20S	23E	GRAND	UTAH
TXO	23-1C	43-019-31220 00 S01	NENW	23 208	23E	GRAND	UTAH
		I 🕾	ASE UTU 24606				
VASCUL NICASC	\A/C!! #	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
WELL NAME	WELL#	Ari #	WIIV	OLO ITTI	100106		
FLORIDA EX	25.3	43-019- 31 17 00 S01	NENE	25 20S	23E	GRAND	UTAH
FLURIUM EX	20-0 h		i Armi Arm		-		
		31107					

* changed well names on OGIS

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

 OM B No. 1004-0137 Expires: March 31, 20

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use	this	form	for proposals	to drill o	or to re-enter an
abandoned	well.	Use	Form 3160 - 3	(APD) for	such proposals.

	UTU 42223	
6.	If Indian, Allottee or Tribe Name	

FORM APPROVED

	•	•					
SUBMIT IN TRIPLICATE- Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well Gas Well	Other	:		_3	me and No.		
Name of Operator SCHUSTER HOMES IN	NC.			9. API We	TTACHED ell No.	LIST	
Address 746 KEEFER ROAD, CHICO, CA 959	773	3b. Phone No. (included 530-894-0894	le area code)		TTACHED ad Pool, or Ex		
Location of Well (Footage, Sec., T., R., M., or.		330 034 0031		4	TER CISC	-	ca ·
SEE ATTACHED LIST					or Parish, So		
12. CHECK APPROPRIA	ATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE, R	EPORT, OF	R OTHER	DATA	
TYPE OF SUBMISSION	, , , , , , , , , , , , , , , , , , ,	TY	PE OF ACTION	*.			
Subsequent Report Casi	dize er Casing ing Repair nge Plans evert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Str Reclamation Recomplete Temporarily At		Well I	Shut-Off ntegrity CHANGE OPERATO	····
Conv	recomplete horizontall be performed or provi tions. If the operation ment Notices must be	ly, give subsurface location ide the Bond No. on file was results in a multiple comp	ons and measured and true with BLM/BIA. Require pletion or recompletion i	e vertical depti ed subsequent r n a new interva	hs of all pertin reports must t al, a Form 310	nent markers be filed withi 60-4 must be	and zone n 30 days filed one
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operate testing has been completed. Final Abandons determined that the site is ready for final insp EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPO	recomplete horizontal be performed or provi tions. If the operation ment Notices must be pection.) STER HOMES INC ONSIBLE UNDER	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all require the composite filed only after all requires the composite filed only after all requ	ons and measured and the with BLM/BIA. Require pletion or recompletion is ements, including reclar and the control of the cont	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed one
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection. EFFECTIVE OCT. 22, 2007, SCHUS	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRO	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires the composite filed only after all	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed one
B. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operation testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operation operation of the invo	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRODUCED TO THE PROPERTY OF THE PROPE	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires the composite filed only after all	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depthed subsequent ran a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has
B. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspections. EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPONDUCTED ON THE LEASED LABORD COVERAGE FOR THIS WELL BOND COVERAGE FOR THIS WELL NEW OFFICE THE CONTROL OF THE SERVE OF	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PROBLEMENT.	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires at the TERMS AND CONS THEREOF. DVIDED BY BLM BO	ons and measured and to with BLM/BIA. Require pletion or recompletion is ements, including reclar at AS OPERATOR OF TO CONDITIONS OF TO SOND NO. UTB000238	e vertical depth d subsequent n n a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has
3. Describe Proposed or Completed Operation If the proposal is to deepen directionally or re Attach the Bond under which the work will be following completion of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection of the involved operative testing has been completed. Final Abandons determined that the site is ready for final inspection. EFFECTIVE OCT. 22, 2007, SCHUS SCHUSTER HOMES INC. IS RESPONDUCTED ON THE LEASED LABORDOUGH ON THE LEASED LABORDOUGH OF THIS WELL AND THE LEASED LABORDOUGH OF THE LEASED LABORDOUGH OF THE LEASED LABORDOUGH OF THIS WELL AND THE LEASED LABORDOUGH OF THE LABORD	recomplete horizontal be performed or provisions. If the operation ment Notices must be pection.) STER HOMES INCONSIBLE UNDER ANDS OR PORTICELL WILL BE PRODUCED TO THE PROPERTY OF THE PROPE	ly, give subsurface location ide the Bond No. on file was results in a multiple composite filed only after all requires at the TERMS AND CONS THEREOF. DVIDED BY BLM BO	ons and measured and the with BLM/BIA. Require pletion or recompletion is ments, including reclar and the condition of the condition of the conditions of T. CONDITIONS OF T.	e vertical depth d subsequent n n a new interva ation, have bee	ns of all perting the perting	nent markers be filed within 60-4 must be and the open be well.	and zone n 30 days filed onc rator has

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office

(Instructions on page 2)

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

CC: UDOGM

Conditions Attached

TidDivision of Resources Date
Moab Field Office

RECEIVED

OCT 2 6 2007

Schuster Homes Inc. All Wells on Lease (Well Nos. 9-3, 9-5, 9-6, 10-2, 11-5, 11-8B, 23-4, 23-8, 23-10, 23-14, and 23-15) Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Schuster Homes Inc. is considered to be the operator of the above wells effective October 22, 2007, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000238 (Principal – Schuster Homes Inc.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" UTU 42223

WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4	43-019-30950 00 S01	NWNE	23 20\$	23E	GRAND	UTAH
ISLAND FUEL	23-8	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-2	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL	23-14	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

]	ROUTING
Г	CDW

X - Change of Operator (Well Sold)				Operator Name Change/Merger				
The operator of the well(s) listed below has changed, effective:				3/31/2013				
FROM: (Old Operator): N3345- Schuster Homes Inc. 3746 Keefer Rd Chico, CA 95973				TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112				
		Phone: 1 (720)	-889- 0510					
		Unit:						
SEC TWN	RNG	API NO	ENTITY NO		WELL TYPE	WELL STATUS		
<u> </u>				All Federal				
received from the received from the received on: eived on: ete on: endries on:	om the merce Y	NEW operator , Division of Co Business Numb Not Yet N/A 6/17/2013 has approved the	on: prporations per:	6097088-0143 me change,	RIA			
or Indian ie	eases o	n:	BUM	Not Yet	BIA	_ N/A		
eements (' or all wells li Division l	'CA'') sted w has ap): rithin a CA on: proved UIC F	orm 5 Trar		•			
project for	me wa	iter disposar wer	n(s) nsied o		IN/A	_		
erator Chan n:		read Sheet on: N/A		7/17/201	3			
		UTB 000207						
 Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any state/fee well(s) listed cove The FORMER operator has requested a release of liability from the 				N/A				
TION.								
nas been con			y a letter fro	om the Division				
	SEC TWN ATION Treceived from the received on: the on: the one of unit operate eements ('or all wells limit Division of the project for the erator Character Character APD/New well(s) lister of liability for the contraction of the erator Character Characte	ATION TION Treceived from the received from the received from the received on: The received from the received from the received on: The received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received from the received on: The received from the received on: The received from the received from the received on: The received from the received from the received on: The received from th	TO: (New O N2195- Runnin 6855 S. Havan Centennial, CO Phone: 1 (720) Unit: SEC TWN RNG API NO TION TION Treceived from the FORMER operator of Commerce, Division of Cotal: Y Business Numbered on: Not Yet et e on: N/A 6/17/2013 Mand or the BIA has approved the lor Indian leases on: Of unit operator for wells listed on: Division has approved UIC For project for the water disposal well erator Change Spread Sheet on: N/A N/A- no State/for N/A Transcription is the covered by Bond Not of liability from their bond on: ATION: TO: (New O N2195- Runnin 6855 S. Havan Centennial, CO Phone: 1 (720) Total total not the second of Commerce Properties of Commerce Properties on: N/A N/A- no State/for N/A N/A- no State/for N/A well(s) listed covered by Bond Not of liability from their bond on: ATION:	TO: (New Operator): N2195- Running Foxes Pe 6855 S. Havana St, Suite # Centennial, CO 80112 Phone: 1 (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY NO ATION Freceived from the FORMER operator on: Freceived from the NEW operator on: Freceived from the NEW operator on: Freceived from the NEW operator on: Freceived on: Freceived on: Freceived from the NEW operator on: Freceived on: Freceived from the NEW operator on: Freceived on: Freceived from the NEW operator on: F	TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112 Phone: 1 (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY LEASE TYPE NO All Federal ATION Serecived from the FORMER operator on: Preceived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION Serecived from the NEW operator on: All Federal ATION: All Federal ATION: All Federal ATION: All Federal All Federal ATION: All Federal All Federal ATION: All Federal All	TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112 Phone: I (720) -889-0510 Unit: SEC TWN RNG API NO ENTITY LEASE TYPE WELL NO All Federal ATION Sereceived from the FORMER operator on: 7/15/2013 Genet of Commerce, Division of Corporations Database on: 6097088-0143 Eleved on: Not Yet eleved on: Not Yet eleved on: Not Yet eleved on: Not Yet eleved on: BLM Not Yet BIA Of unit operator for wells listed on: M/A Division has approved UIC Form 5 Transfer of Authority to hyroject for the water disposal well(s) listed on: N/A Erator Change Spread Sheet on: N/A N/A no State/fee wells N/A		

Schuster Homes Inc (N3345) to Running Foxes Petroleum Inc (N2195) Effective 31-March-2013

					Utah	Lease		Well
Well Name	Sec.	Twnshp	Range	API No.	Entity No.	Type	Well Type	Status
BROWNDIRT 1	14	200S	230E	4301930395	2230	Federal	Gas Well	Shut-in
BROWNDIRT 2	14	200S	230E	4301930691	2230	Federal	Gas Well	Shut-in
BROWNDIRT 5	14	200S	230E	4301931143	9292	Federal	Gas Well	Shut-in
LEVON 1	11	200S	230E	4301930402	2230	Federal	Oil Well	Shut-in
LEVON 3	11	200S	230E	4301931234	10802	Federal	Oil Well	Shut-in
FEDERAL 10-2	10	200S	230E	4301931049	9465	Federal	Gas Well	Shut-in
CISCO SS 11-5	11	200S	230E	4301931056	2275	Federal	Oil Well	Shut-in
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	Gas Well	Shut-in
FEDERAL 23-14	23	200S	230E	4301931053	10225	Federal	Gas Well	Shut-in
FEDERAL 23-15	23	200S	230E	4301931073	2280	Federal	Oil Well	Shut-in
ISLAND FUEL 23-4	23	200S	230E	4301930950	2265	Federal	Gas Well	Shut-in
CISCO SS 11-8B	11	200S	230E	4301931147	10881	Federal	Oil Well	Shut-in
ISLAND FUEL 23-10	23	200S	230E	4301931050	2275	Federal	Gas Well	Shut-in
ISLAND FUEL 23-8	23	200S	230E	4301930998	2270	Federal	Gas Well	Shut-in
ISLAND FUEL 9-5	09	200S	230E	4301931085	8218	Federal	Gas Well	Shut-in
ISLAND FUEL 9-6	09	200S	230E	4301931142	8218	Federal	Gas Well	Shut-in
TXO 14-1	14	200S	230E	4301930610	2240	Federal	Oil Well	Shut-in
TXO 14-2	14	200S	230E	4301931089	2290	Federal	Oil Well	Shut-in
TXO 14-3	14	200S	230E	4301931144	2290	Federal	Oil Well	Shut-in
TXO 15-2	15	200S	230E	4301930690	2245	Federal	Oil Well	Shut-in
TXO 15-4	15	200S	230E	4301930832	8221	Federal	Oil Well	Shut-in
TXO 23-1C	23	200S	230E	4301931220	10678	Federal	Oil Well	Shut-in
TXO MESA 23-1	23	200S	230E	4301930693	2250	Federal	Oil Well	Shut-in

RECEIVED ڷؙڒؙ

STATE OF UTAH

, may	_	•		
N	2	6	2013	

FORM 9

	DIVISION OF OIL, GAS AND M		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
SUNDRY	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below cu laterals. Use APPLICATION FOR PERMIT TO DRILL	urrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: RUNNING FOXES PETR	OLEUM, INC. N219.	5	9. API NUMBER: attached
3. ADDRESS OF OPERATOR:	Y Centennial STATE CO	PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: GRAND
QTR/QTR, SECTION, TOWNSHIP, RAP	NGE, MERIDIAN:		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CURSEQUENT REPORT	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
12. DESCRIBE PROPOSED OR CO	CONVERT WELL TYPE DMPLETED OPERATIONS. Clearly show all p	Pertinent details including dates, depths, volume	es, etc.
Effective March 31, 2013, previously operated by So	Running Foxes Petroleum, Inc. t	took over as operator for these lea	ases and attached list of wells
providuoly operation by eq	N3345		n no th
			BLM# UTB 00020
			UTB 00020
NAME (PLEASE PRINT) Steven A.	Tedesco	TITLE President	
MAINIE (PLEASE PRINT)	6T_	Hree	
SIGNATURE	Nov	DATE 6-24-20	

APPROVED

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Zeke Clement for Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	Oil Well	SWNE	11	20S-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 11-8B (Cisco SS 11-8B)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
Inland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Well	NESE	23	20S-23E
Inland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Well	SWNW	9	20S-23E
Inland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	20S-23E
TXO 14-1	43-019-30610-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2	43-019-31089-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 15-2	43-019-30690-00-00	UTU 044440	Oil Well	NENW	15	20S-23E
TXO 15-4	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	20S-23E
TXO 23-1C	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	20S-23E
TXO Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	20S-23E

RECEIVED JUN 2 6 2013

Div. of Oil, Gas & Mining

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING			5 LEASE DESIGNATION AND SERAL NUMBER: SEE ATTACHED LIST			
SUNDR	Y NOTICES AND REPORT	S ON WELLS	B. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	new wells, significantly deepen existing wells below culaterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals	7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL OIL WELL	. 🗹 GAS WELL 🗌 OTHER_		8 WELL NAME and NUMBER: SEE ATTACHED LIST			
2 NAME OF OPERATOR			9 API NUMBER:			
SCHUSTER HOMES, IN	C.		ATTACHED			
	_{ry} CHICO STATE CA 21P	95973	10. FIELD AND POOL, OR WILDCAT GREATER CISCO			
4. LOCATION OF WELL						
FOOTAGES AT SURFACE			COUNTY:			
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN:		STATE UTAH			
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REPOR	RT. OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION	,			
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION			
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURETREAT	SIDETRACK TO REPAIR WELL			
Approximate date work will start	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON			
	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR			
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE			
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL			
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)				
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		WATER SHUT-OFF			
	CONVERT WELL TYPE	RECLAMATION OF WELL SITE	OTHER:			
12 DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly show all pe	RECOMPLETE - DIFFERENT FORMATION				
Effective March 31, 2013,	Running Foxes Petroleum, Inc. o	f 6855 S. Havana St., #400 Cente	ennial, CO 80112 took over ransfers ownership of all			
NAME (PLEASE PRINT) Stephen J. SIGNATURE SIGNATURE	Schuster	TITLE President DATE 7/8/13	RECEIVEL JUL 15 2013 Div. of Oil, Gas & Mining			
(his space for State use only)						

APPROVED

(5/2000)

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Edle Clemento For Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
			L			
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20\$-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Weil	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	NeW 50	SWNE	11	209-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	208-23E
Intand Fuels 11-88 (Cisco SS 11-88)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
nland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20\$-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Weil	NESE	23	208-23E
nland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Welt	SWNW	9	20S-23E
nland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	20S-23E
FXO 14-1	43-019-30610-00-00					
TXO 14-2	43-019-30810-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2		UTU 044440	Oil Well	SWSW	14	208-23E
XO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	swsw	14	208-23E
XO 15-4	43-019-30690-00-00	UTU 044440	Oli Well	NENW	15	20\$-23E
XO 23-1C	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	208-23E
XO Mesa 23-1	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	208-23E
AU Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	208-23E
		·				** * ** ***********

Oil, of Oil, Gas & Mining